

UAB "AUMITA"

Introducing New Advance Ferrule Printing/Marking Machine

LM390A/PC



- LM390A/PC-

- LM-390A has an enhanced feeding and half-cutting system that provides you with marking speed at 35mm/second.
LM-390A can make 50pcs of 20mm-length tube per minute.



THERMAL TRANSFER MARKING

- LM – 390A/PC is a latest version of the portable & thermal transfer printer from Max, Japan.
- An improved technology can gives you faster printing & adjustable cutting length.
- It can print PVC sleeves , Self adhesive tape & heat shrink sleeves upto 8mm



Self adhesive Tapes – for Legend

Marking

- Available in 5 /9/12 mm size.
- Colors - White , Yellow , Transparent.
- Tubes – 2.5mm to 8.00 mm White / Yellow Colour.



Consumables.

ECONOMICAL INK RIBBON

LM-IR300B(BLACK)


50m/roll 5rolls/box20rolls/cartoon

LM-IR300B(WHITE)

32m/roll 5rolls/box20rolls/cartoon



PC Interfacing



LM-390A features USB port for Direct PC Connectivity with Windows personal computer, as well as USB memory slot for off-the-line data exchange with PC by "LETATWIN PC EDITOR.

Features -contd



LM-380A



LM-390A

Large and backlit LCD display

Backlit LCD display makes your operation easy, even if the workplace is dim.

Carrying case & contents



Applications

- Control Panel , SPM machine & OEM Manufactures.
- Turnkey , Automation Projects & all Projects industry.
- Automobile & Robotics Industry.
- Steel , Networking & Construction Industry.



TECHNICAL SPECIFICATION

Technical Specification	- LM390A/PC
Dimensions	275(W) X 300 (D) X 91 (H) mm
Weight	2.3Kg
Printing Method	Thermal Transfer method (300dpi)
Display	LCD Dot matrix: 64 X 160 pixel (backlit)
Printing Speed	35mm/s (std) 20mm/s (low temp. mode)
Character Size	2,3,4,6 mm height
Usable Tube	2.5mm – 8.0mm (PVC & Heat Shrinkable)
Usable Tape	Width 5,9,12 mm (Max Genuine tape)
External Memory	USB Memory
Interface	USB 2.0 Full speed
Power Supply	DC 12V , 3.3 mA.
Power Consume	Max. 16 W
Operating Temp.	10 – 35 Degree Cel.

LM 390A Features



**High Speed –
35 mm / sec**

**1,00,000
Internal
character
memory**

**PC/USB pen
drive facility**

